

## Claims

### What is Claimed is:

1. A wireless communications network, comprising:
  - a wired network;
  - a wireless channel;
  - a server computer connected to the wired network;
  - a wireless packetized data communications provider equipment connected to the wired network;
  - a first client device communicatively connected via the wireless channel to the wireless packetized data communications provider, and
  - a second client device communicatively connected to the network.
2. The wireless communications network of claim 1, further comprising a detector for detecting a first location of the first client device and a second location of the second client device.
3. The wireless communications network of claim 2, wherein the detector is selected from the group consisting of: a software and a hardware of the server computer.
4. The wireless communications network of claim 3, wherein the first client device communicates an indicator of the first location to the server computer.

5. The wireless communications network of claim 2, wherein the wired network is the Internet.

6. The wireless communications network of claim 1, wherein the wireless channel is a cellular packetized data system.

7. The wireless communications network of claim 1, wherein the wireless channel is a CDPD system.

8. The wireless communications network of claim 1, further comprising a server software stored on the server computer for relating the first location to the first client device and the second location to the second device and for making available an information corresponding to the first location and the second location for communication over the network.

9. A method of wireless communications, wherein a first client device has a first location and a second client device has a second location, comprising the steps of:

serving a first information indicative of the first location to the second client device;

serving a second information indicative of the second location to the first client device;

enabling, by virtue of the first information and the second information, the first client device to communicate with the second client device.

10. The method of claim 9, wherein the steps of serving comprise the steps of:  
performing a look-up in a relational database; and  
making known the look-up result to at least one of the first client device and the second client device.

11. The method of claim 10, wherein the wireless channel communicates a message, selected from the group consisting of: text, graphic, image, voice, and streaming media.

12. A computer readable substrate having a computer program saved thereupon, the computer program comprising the steps of:

relating a first location to a first client device;  
relating a second location to a second client device; and  
enabling messaging communication between the first client device and the second client device because of the steps of relating.